

Application No.: 10/783,304


Docket No.: UC0412USNA

Listing of Claims

RECEIVED
CENTRAL FAX CENTER

SEP 21 2006

1. (Currently Amended) A compound having the formula:



(I)


wherein

n is an integer of at least 1 and

R^1 is selected from aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, and a crosslinkable group attached to aryl, heteroaryl, fluoroaryl, or fluoroheteroaryl substituted with 1 or more fluorine atoms;

R^3 is selected from H and R^4 ;

R^2 is selected from H, aryl, alkyl, fluoroalkyl, Cl, Br, I, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms; a crosslinkable group attached to aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms or fluoroheteroaryl substituted with 1 or more fluorine atoms, a crosslinkable group, and an arylamino group of formula (II),



(II)

wherein

R^4 is selected from aryl, H, R^1 , alkyl, and fluoroalkyl;

R^7 is selected from aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, and a

Application No.: 10/783,304

Docket No.: UC0412USNA

crosslinkable group attached to aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms or fluoroheteroaryl substituted with 1 or more fluorine atoms;

R³ is selected from H and R¹.

E is selected from O, S, (SiR⁵R⁶)_m wherein m is an integer of 1 to 20, (CR⁵R⁶)_n wherein m is an integer of 1 to 20, and combinations thereof,

wherein R⁵ and R⁶ are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy, a crosslinkable group, and a crosslinkable group attached to alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, ~~fluoroaryl~~ fluoroaryl, fluoroalkoxy, or fluoroaryloxy, and wherein when E is (CR⁵R⁶)_n, and n is greater than 1 and m is 1, at least one of R⁵ and R⁶ is not hydrogen or a hydrocarbon and;


wherein the compound bears at least one crosslinkable group.

2. (Original) The compound of claim 1, wherein at least one aromatic ring in the compound of formula (I) has one or more substituents independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy, and crosslinkable groups.
3. (Original) The compound of claim 1, wherein R⁵ and R⁶, when taken together, form a non-aromatic ring.
4. (Original) The compound of claim 1, wherein two or more substituents on two neighboring aromatic rings in the compound of formula (I) together form an aromatic or non-aromatic ring.
5. (Original) The compound of claim 1, wherein adjacent substituents on a single ring are linked to form a fused aromatic or non-aromatic ring.
6. (Original) The compound of claim 1, wherein R¹ is selected from phenyl, 1-naphthyl, and 2-naphthyl, cinnamate and chalcone groups.
7. (Original) The compound of claim 1, wherein n = 1, R² is H, and R³ is selected from phenyl, 1-naphthyl, 2-naphthyl and styryl.

Application No.: 10/783,304

Docket No.: UC0412USNA

8. (Currently Amended) A compound of formula




(III)

wherein

n is an integer of at least 4,

R^1 is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, and a crosslinkable group attached to aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms,

R^2 is selected from H, aryl, alkyl, fluoroalkyl, Cl, Br, I, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, a crosslinkable group attached to aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms or fluoroheteroaryl substituted with 1 or more fluorine atoms, a crosslinkable group, and arylamino of formula (II)



wherein

R^4 is selected from aryl, H, R^1 , alkyl, and fluoroalkyl;

R^7 is selected from aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, and a crosslinkable group attached to aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms;

E is selected from O, S, $(SiR^5R^6)_m$ wherein m is an integer of 1 to 20, $(CR^5R^6)_m$ wherein m is an integer of 1 to 20, and combinations thereof,

Application No.: 10/783,304

Docket No.: UC0412USNA

wherein R^5 and R^6 are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy, a crosslinkable group, and a crosslinkable group attached to alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, or fluoroaryloxy, provided that when E is $(CR^5R^6)_m$, and n is greater than 1 and m is 1, at least one of R^5 and R^6 is not hydrogen or a hydrocarbon; and


wherein the compound bears at least one crosslinkable group.

9. (Original) The compound of claim 8, wherein R^5 and R^6 , when taken together, form a non-aromatic ring,
10. (Original) The compound of claim 8, wherein at least one aromatic ring in the compound of formula (III) has a substituent selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy, and a crosslinkable group.
11. (Original) The compound of claim 8, wherein two or more substituents on two neighboring aromatic rings in the compound of formula (III) together form an aromatic or non-aromatic ring.
12. (Original) The compound of claim 8, wherein adjacent substituents on a single ring are linked to form a fused aromatic or non-aromatic ring.
13. (Original) The compound of claim 8 wherein R^1 is selected from phenyl, 1-naphthyl, and 2-naphthyl.
14. (Original) The compound of claim 8, wherein $n = 1$, and R^2 is arylamino of formula (II), wherein R^4 is selected from aryl, H, R^1 , alkyl, and fluoroalkyl.
15. (Original) The compound of claim 8 wherein $n=1$, R^1 is selected from phenyl, 1-naphthyl or 2-naphthyl and R^2 is styryl or cinnamate, or arylamino of formula (II), wherein R^4 is selected from aryl, H, styryl and cinnamate.
16. (Original) The compound of claim 8 wherein R^1 is selected from phenyl, 1-naphthyl and 2-naphthyl and R^2 is selected from H and aryl and E is selected from $(CR^5R^6)_m$, wherein R^5 is selected from alkyl, aryl, and alkoxy and R^6 is a crosslinkable group.

Application No.: 10/783,304

Docket No.: UC0412USNA

17. (Currently Amended) A compound of formula




wherein:

n is an integer:

R^1 is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, and a crosslinkable group attached to aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms;

R^2 is selected from H, aryl, alkyl, fluoroalkyl, Cl, Br, I, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, a crosslinkable group attached to aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, a crosslinkable group, and an arylamino group of formula (II),



wherein

R^4 is selected from aryl, H, R^1 , alkyl, and fluoroalkyl;

R^7 is selected from aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, and a crosslinkable group attached to aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms;

 R^3 is selected from H and R^1 :

E is selected from O, S, $(SiR^5R^6)_m$ wherein m is an integer of 1 to 20, $(CR^5R^6)_m$ wherein m is an integer of 1 to 20, and combinations thereof,

Application No.: 10/783,304

Docket No.: UC0412USNA

wherein R^5 and R^6 are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy, a crosslinkable group, and a crosslinkable group attached to alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, or fluoroaryloxy, provided that when E is $(CR^5R^6)_m$, and n is greater than 1 and m is 1, at least one of R^5 and R^6 is not hydrogen or a hydrocarbon; and

wherein the compound bears at least one crosslinkable group.

18. (Original) The compound of claim 17 wherein at least one aromatic ring in the compound of formula (I) has a substituent selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy and a crosslinkable group.

19. (Original) The compound of claim 17 wherein R^1 is selected from phenyl, 1-naphthyl, and 2-naphthyl.

20. (Previously Presented) The compound of claim 17 wherein $n = 1$, R^2 is H, and R^3 is selected from phenyl, 1-naphthyl, 2-naphthyl and styryl.

21. (Original) The compound of claim 17 wherein R^5 and R^6 , taken together, form a non-aromatic ring.

22. (Original) A compound comprising a copolymers prepared by copolymerizing at least one compound of claim 1 and at least one compound of claim 8, said compound of claim 1 or claim 8 comprising at least one crosslinkable group.

23. (Original) A composition comprising a compound of claim 1.

24. (Original) A composition comprising a compound of claim 8.

25. (Original) A composition comprising a compound of claim 17.

26.-37. (Canceled)